


# Shift Cipher



# Shift Cipher

- Input/output:  $\{a, b, \dots, z\}$  with encoding  $\{0, 1, \dots, 25\}$

a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14

p	q	r	s	t	u	v	w	x	y	z
15	16	17	18	19	20	21	22	23	24	25

- Encryption function:  $E_k(x) = x + k \pmod{26}$   
Decryption function:  $D_k(y) = y - k \pmod{26}$
- The encryption or decryption key:  $k \in \{0, 1, 2, \dots, 25\}$
- Key space size: 26 (or 25, if you do not count  $k = 0$ )
- Caesar cipher: Shift cipher with a constant encryption key  $k = 3$

# Shift Cipher

- For  $k = 15$ , hello is encrypted as wtaad since
$$E_{15}(h) = E_{15}(7) = 7 + 15 = 22 \pmod{26} \rightarrow w$$
$$E_{15}(e) = E_{15}(4) = 4 + 15 = 19 \pmod{26} \rightarrow t$$
$$E_{15}(l) = E_{15}(11) = 11 + 15 = 26 = 0 \pmod{26} \rightarrow a$$
$$E_{15}(o) = E_{15}(14) = 14 + 15 = 29 = 3 \pmod{26} \rightarrow d$$
- For  $k = 12$ , eqqw is decrypted as seek since
$$D_{12}(e) = D_{12}(4) = 4 - 12 = -8 = 18 \pmod{26} \rightarrow s$$
$$D_{12}(q) = D_{12}(16) = 16 - 12 = 4 \pmod{26} \rightarrow e$$
$$D_{12}(w) = D_{12}(22) = 22 - 12 = 10 \pmod{26} \rightarrow k$$

# Cryptanalysis of Shift Cipher

- Ciphertext only (CO)
  - Exhaustive key search: a paragraph of ciphertext (in order to avoid ambiguity)
  - Frequency analysis: a paragraph of ciphertext (in order to get statistically reliable frequency count)
- Known plaintext (KP): a single plaintext/ciphertext pair
- Chosen plaintext (CP): a single plaintext/ciphertext pair
- Chosen text (CT): a single plaintext/ciphertext pair

# Exhaustive Key Search

- Given an encrypted text: vnnc vn jc ljsn jc oxda yv
- Decrypt the text with all possible keys:

$$\xrightarrow{k=1} \text{ ummb um ib kirm ib nwcz xu}$$

$$\xrightarrow{k=2} \text{ tlla tl ha jhql ha mvby wt}$$

...

$$\xrightarrow{k=8} \text{ nffu nf bu dbkf bu gpvs qn}$$

$$\xrightarrow{k=9} \text{ meet me at caje at four pm}$$

- A short encrypted text may have several “meaningful” decryptations:

$$\text{vnnc} \xrightarrow{k=9} \text{meet}$$

$$\text{vnnc} \xrightarrow{k=25} \text{wood}$$

- For a sufficiently long encrypted text, there will not be ambiguity

# Frequency Analysis

- The most frequently occurring ciphertext is the encryption of the most frequently occurring plaintext
- In English: that would be the letter e, followed up by letters t and a

Letter frequencies (percentages) in English

a	b	c	d	e	f	g	h	i	j
<b>8.2</b>	1.5	2.8	4.3	<b>12.7</b>	2.2	2.0	6.1	7.0	0.2

k	l	m	n	o	p	q	r	s	t
0.8	4.0	2.4	6.7	7.5	1.9	0.1	6.0	6.3	<b>9.1</b>

u	v	w	x	y	z
2.8	1.0	2.3	0.1	2.0	0.1

- Compute the ciphertext letter frequencies, and find the most frequently occurring the letter: this must be the ciphertext for the letter e

# Occurrences of Letter e

The future is in the details

When creating iPhone 4, Apple designers and engineers didn't start with a clean sheet of paper. They started with three years of experience designing and building the phones that redefined what a phone can do. iPhone 4 is the result of everything they've learned so far. And it's all contained in a beautiful enclosure a mere 9.3 millimeters thin, making iPhone 4 the world's thinnest smartphone.

Frequency:  $\frac{54}{435} \approx 12.4\%$

# Occurrences of Letter a

The future is in the details

When creating iPhone 4, Apple designers and engineers didn't start with a clean sheet of paper. They started with three years of experience designing and building the phones that redefined what a phone can do. iPhone 4 is the result of everything they've learned so far. And it's all contained in a beautiful enclosure a mere 9.3 millimeters thin, making iPhone 4 the world's thinnest smartphone.

Frequency:  $\frac{23}{435} \approx 5.3\%$



# Occurrences of Letter t

The future is in the details



When creating iPhone 4, Apple designers and engineers didn't start with a clean sheet of paper. They started with three years of experience designing and building the phones that redefined what a phone can do. iPhone 4 is the result of everything they've learned so far. And it's all contained in a beautiful enclosure a mere 9.3 millimeters thin, making iPhone 4 the world's thinnest smartphone.

Frequency:  $\frac{30}{435} \approx 6.9\%$

# Unusual Texts

The novel “Gadsby” by E. V. Wright is written as a lipogram\*; it has 50,000 words in it without a single occurrence of the letter e

“A Void”, translated from the original French “La Disparition” (The Disappearance), is a 300-page lipogrammatic novel, written in 1969 by Georges Perec, entirely without using the letter e (except for the author’s name)



However, the probability of occurrence for such texts is very low

\* A lipogram (leipográmmatos: leaving out a letter) is a kind of constrained writing or word game consisting of writing paragraphs in which a particular letter or group of letters is avoided

# Frequency Analysis

- Given the short ciphertext: `tbxqebo fp dobxq ebob`
- Frequency analysis finds the most frequently occurring letter as `b`
- The letter `b` (most probably) is the ciphertext for the letter `e`

$$E_k(e) = b$$

$$E_k(4) = 4 + k = 1 \pmod{26}$$

$$k = 1 - 4 = -3 = 23 \pmod{26}$$

- Indeed, if we decrypt the encrypted text using the key  $k = 23$ , we obtain:

`tbxqebo fp dobxq ebob`  $\xrightarrow{k=23}$  `weather is great here`

# Known Plaintext Scenario

- Given a (any) single plaintext/ciphertext pair  $(x, y)$ , we have

$$E_k(x) = x + k = y \pmod{26}$$

$$k = y - x \pmod{26}$$

- Consider the encrypted message:

zrrg zr ng bhe frperg ybpngvba

and the plaintext/ciphertext pair:  $m \rightarrow z$

$$E_k(m) = z$$

$$E_k(12) = 12 + k = 25 \pmod{26}$$

$$k = 25 - 12 = 13 \pmod{26}$$

We find the key as  $k = 13$ ; indeed this key decrypts the message

$\xrightarrow{k=13}$  meet me at our secret location

# Chosen Plaintext Scenario

- Since the cryptanalyst gets to choose the plaintext, and obtains the ciphertext, she/he can select the pair  $(x, y)$  such that  $x = a$

$$\begin{aligned}E_k(a) &= 0 + k = y \pmod{26} \\ k &= y \pmod{26}\end{aligned}$$

- In other words, the key is equal to the encoding of the letter that is the ciphertext for a
- Using the previous encrypted text:  
zrrg zr ng bhe frperg ybpngvba
- We ask and obtain the ciphertext for a, which is given as n
- Since the encoding of n is 13, we obtain the key as  $k = 13$

# Chosen Ciphertext Scenario

- Similarly, if we can choose the ciphertext  $y$  in the pair  $(x, y)$ , and obtain the plaintext  $x$ , all we have to do is to solve for the linear congruence

$$E_k(x) = x + k = y \pmod{26}$$

to obtain the key as

$$k = y - x \pmod{26}$$

- In fact the difficulty of obtaining the key for all three scenarios: KP, CP, CT is about the same: Obtain a single plaintext/ciphertext and solve for the key in the above linear congruence
- Therefore, we conclude that the shift cipher is very weak

# Cryptanalysis of the Shift Cipher

- The number of keys is very small: 26 (or 25)
- Ciphertext only attack succeeds by performing 26 (or 25) decryptions of a not-so-short encrypted message (in order to avoid ambiguity)
- Known plaintext attack succeeds if we obtain a single pair  $(x, y)$  of plaintext and ciphertext; we solve for the linear congruence:

$$k = y - x \pmod{26}$$

- Similarly, the chosen text attack succeeds if we obtain a single pair  $(x, y)$  of plaintext and ciphertext; we use the above equation to obtain the key